

GROENINK'S
MATERIAL AND DATA SHEET
GET A GRIP

Date Prepared: 2/13/16

I. Product Identity

PRODUCT NAME: 24-0-9 Duration-45 and Duration-90

MFR INFO: Groenink's Elevator and Hardware
11260 Michigan Ave.
Nunica, MI 49448

FOR EMERGENCY: (800) 424-9300 (CHEMTREC)
FOR INFORMATION: (616) 837-7391

CURRENT AS OF: 4/1/16

II. Ingredient List

Sulfated Potash
Urea
Duration-45
Ammonium Sulfated
Duration-90
Chicken Manure
Iron

III. Ingredient: Sulfated Potash

Product Name	:	Sulfate of Potash
Product Code	:	Standard SOP
Recommended use	:	Specialty crop nutrient, turf grass fertilizer, general fertilizer, general fertilizer uses, and specialty industrial uses.
Hazard Symbol	:	None
CAS Number	:	7778-80-5
Appearance	:	Solid
Physical State	:	Powder, Crystals or Granular
Color	:	Odorless
pH	:	7 (10% solution) 7 Aqueous solution is neutral
Melting/Freezing Point	:	1952.6 °F (1067 °C)
Boiling Point	:	3072.2 °F (1689 °C)
Specific gravity	:	2.66 @21°C (H2O = 1)
Vapor pressure	:	< 0 kPa at 25°C

Density : 2.66 g/cm³ estimated
 Flash Point Class : Flammable 1B
 Molecular Formula : K₂SO₄
 Molecular Weight : 174.27

Stability and Reactivity

Reactivity : May react with the following components: Aluminum and Magnesium.
 Possibility of hazardous : Hazardous polymerization does not occur.
 Chemical stability : Stable under recommended storage conditions.
 Conditions to avoid : Avoid dispersal of dust in the air. (clearing dust surfaces with compressed air.)
 Incompatible materials : None when used and stored according to label directions.
 Hazardous decomposition : May include and are not limited to: Oxides of sulfur.

Toxicological Information

Components	Species	Test Results
Dermal LD50	Not Available	
Inhalation LC50	Not Available	
Oral LD50	Rat	6600 mg/kg

Ecological Information

Product	Species	Test Results
Fish LC50	Fathead minnow (Pimephales Promelas)	510-880 mg/l, 96hrs
Algae IC50	Algae	2900 mg/L, 72hrs
Crustacea EC50	Daphnia	890 mg/L, 48hrs
Fish LC50	Fathead Minnow (Pimephales promelas)	510-880 mg/L, 96hrs

Transport Information

U.S. Department of Transportation (DOT)
 Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG – Canada)

Not regulated as dangerous goods.

Federal Regulations

Safe Drinking Water Act (SDWA) – Not regulated

Food and Drug Administration (FDA) – Direct food additive

U.S. State Regulations

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

United States & Puerto Rico – Toxic Substances Control Act (TSCA) Inventory – On Inventory: yes

*A yes indicates that all components of this product comply with the inventory requirements administered by the governing country.

IV. Ingredient: Urea

Product Name	:	Urea, Dry
Product Code	:	URGRAN
Product Form	:	Mixture
Product Group	:	Commercial product
Synonyms	:	Urea Granular; Urea Microprills; Urea Pastille; Urea Prills
Physical State	:	Solid
Appearance	:	Granules
Colour	:	White
Odour	:	Slight Ammonia
pH	:	7.2 at 100g/l
Molecular weight	:	60.07
Melting Point	:	Decomposes above 132.6 °C (270.7 °F)
Vapour Pressure	:	80 Pa at 20°C
Flammability	:	Non-flammable
Density	:	2.31 g/cm ³
Bulk Density	:	44-49 lb/ft ³ 750 kg/m ³
Solubility	:	1,193 g/l at 25°C
Log Pow	:	-1.59 @ 20°C

GHS-US Classification

Skin Irritation 2 H315

Eye Irritation 2A H319

STOT SE 3 H335

Hazard Statements (GHS-US)

H315 – Causes skin irritation

H319 – Causes serious eye irritation

H335 – May cause respiratory irritation

Precautionary Statements (GHS-US)

P261 – Avoid breathing dust

P264 – Wash hands thoroughly after handling

P271 – Use only outdoors or in a well-ventilated area

P280 – Wear eye protection, protective gloves, protective clothing

P302+P352 – If on skin: wash with plenty of water

P304+P340 – If inhaled: remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 – If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 – Call a POISON CENTER or doctor/physician if you feel unwell

P332+P313 – If skin irritation occurs: Get medical advice/attention

P337+P313 – If eye irritation persists: Get medical advice/attention

P362 – Take off contaminated clothing

P403+P233 – Store in a well-ventilated place. Keep container tightly closed

P405 – Store locked up

P501 – Dispose of contents/container in accordance with local regional, national, and international regulations.

Other Hazards : Hazardous to the aquatic environment

Reactivity : Stable at ambient temperature and under normal conditions of use

Chemical Stability : Stable at standard temperature and pressure

Possibility of hazardous : Hazardous polymerization will not occur.

Conditions to avoid : Protect from moisture. May slowly hydrolyze to ammonium carbamate and eventually decompose to ammonia and carbon dioxide.

Incompatible materials : May form explosive mixture if in contact with strong acid such as nitric or perchloric acids. Avoid contact with: strong oxidizers;

strong acids or bases; nitrates; hypochlorites. Reacts with sodium or calcium hypochlorite to form explosive nitrogen trichloride.

- Fire Hazard : Decomposes above 132.6°C (270.7°F). Under conditions of fire this material may produce: Ammonia, Nitrogen oxides, and/or Biuret. Short-term exposures to smoke and gases may lead to irreversible lung injury without early signs and symptoms.
- Explosion Hazard : Product is not explosive. May form explosive mixtures if mixed with strong acid (Nitric/Perchloric) and strong oxidizers.
- General Measures : Handle in accordance with good industrial hygiene/safety practice.
- Signal Word : Warning
- Aquatic Environment Hazard: Per OSHA 29 CFR 1910.1200(b)(5)(iii) labelling is not required for URPRLMIF or URPRLCF as labelling is covered under the requirements of the Food and Drug Administration (FDA) of the US Department of Agriculture (USDA).

Name	Product Identifier	% by Weight	GHS-US classification
Urea (Carbamide, Carbonyldiamide, Carbamidic Acid)	(CAS No.) 57-13-6	97.5 – 99.7	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Alkalinity, as Ammonia		150 ppm (max)	
Methylenediurea	(CAS No.) 13547-17-6	0 – 2.5	Eye Irrit. 2A, H319
Biuret	(CAS No.) 108-19-0	0 – 1.5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319

Control Parameters:

Urea (57-13-6)		
USA ACGIH (nuisance dust)	ACGIH TWA (mg/m ³)	10 mg/m ³ – inhalation particulate
USA OSHA (nuisance dust)	OSHA PEL (TWA) (mg/m ³)	5 mg/m ³ – Respirable (particulate) Fraction: Urea

Toxicological Information

Acute Toxicity : Not classified

LD50 Oral Rat	8471 mg/kg
LD50 Oral Rat	14,300 mg/kg-male; 15,000 mg/kg-female
LD50 Oral Mouse	11,500 mg/kg-male; 13,000 mg/kg-female

Skin corrosion/irritation : Causes skin irritation

Serious eye damage/irritation: Causes eye irritation

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Bacterial Genetic Toxicity Invitro:
Gene Mutation:
Salmonella typhimurium – Bacterial reverse mutation assay:
Negative Chinese Hamster - Chromosomal aberration test:
Positive (very high dose); Mouse: Positive (very high dose). Non-Bacterial Genetic Toxicity In-Vitro: Chromosomal Aberration:
Mouse – Bone Marrow Cytogenetic test: Positive (extremely high dose).

Carcinogenicity : Not listed in IARC Monographs, by NTP or OSHA

Reproductive Toxicity : Toxicity to Reproductive:
No toxic affects on mouse gonads up to 6,750 mg/kg/day.
No toxic affects on rat gonads up to 2,250 mg/kg/day.
Developmental toxicity/ Teratogenicity: Not teratogenic.

Specific target organ toxicity (single exposure) : May cause respiratory irritation.

Specific target organ toxicity (repeated exposure) : Not Classified

Aspiration hazard : Not Classified

Ecological Informations

Ecotoxicity	Acute Toxicity to Fish:	96 -h: (Barillius barna) LC ₅₀ =>9,000mg/L
	Chronic Toxicity to Fish:	No data available
	Acute Toxicity to Aquatic Invertebrates:	(Daphnia magna): 24-h EC ₅₀ : > 10,000 mg/L
	Toxicity to Aquatic Plants:	(Scenedesmus quadricauda) 192-hr cell multiplication inhibition test-TT>10,000 mg/L
	Toxicity to Bacteria:	No data available
	Toxicity to Soil Dwelling Organisms:	
	Toxicity to Other Non	

	Mammalian Terrestrial Species: Toxicity to Terrestrial Plants: Stability in Water:	Applications of nitrogenous fertilizers to grassland for long periods of time may have deleterious effects on earthworms in the absence of liminig. (Pigeon) – Subcutaneous – LDLO = 16,000 mg/kg. Since Urea is a fertilizer, it may promote eutrophication in waterways. Non-toxic to aquatic organisms as defined by USEPA. 7 days exposure to 0mg urea / leaf-tip necrosis T½ > 1 year
Enviromental Fate:	Stability in Soil:	No data available
Toxicity:	Transport and Distribution: Non-toxic to aquatic organisms as defined by USEPA. No know toxicity.	.16% in air; 99.84% in water (calculated (Fugacity Level 1))
Degradation Products:	Biodegradation: Photodegradation:	Ultimety biodegradable (OECDTG 302B) 93-98% (SCAS 24 hr) No data available.

Enviromental Precautions

If spill could potentially enter any waterway, including intermittent dry creeks, contact the U.S. Coast

Guard National Response Center at 800-424-8802. In case of accident or road spill notify CHEMTREC at 800-424-9300.

Containment and Cleaning Up

If contaminated with other materials, contain and collect as any solid in suitable containers. Do not allow into drains or water courses or dispose of where ground or surface waters may be affected.

Prevent large quantities from contacting vegetation.

Recover the product by vacuuming, shoveling, or sweeping and place in appropriate container to be disposed at an appropriate disposal facility according to current applicable laws and regulations and product characteristics at the time of disposal. Provide adequate ventilation. Avoid generation of dust during clean-up of spills. If uncontaminated, recover, reuse product.

Practice food housekeeping – spillage can be slippert on smooth surface either wet or dry.

Transport Information

UN number : No dangerous good in sense of transport regulations.

UN proper shipping name : Not applicable

Additional Information : No supplementary information available.

Overland transport : No additional information.

Transport by sea : No additional information.

Air transport : No additional information available.

Regulatory Information

US Federal Regulations

Urea, Dry	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard

Urea (57-13-6)
Listed on the United States TSCA (Toxic Substances Control Act) inventory

Biuret (108-19-0)
Listed on the United States TSCA (Toxic Substances Control Act) inventory

US State Regulations

The following states have an OSH program approved by OSHA. If you are located in any of these states you may be under state jurisdiction rather than federal jurisdiction and your state may have more

stringent requirements than OSHA. You should consult your state regulations to ensure compliance.

Alaska	Indiana	Minnesota	North Carolina	Utah
Arizona	Iowa	Nevada	Oregon	Vermont
California	Kentucky	New Mexico	Puerto Rico	*Virgin Islands
*Connecticut	Maryland	*New Jersey	South Carolina	Virginia
Hawaii	Michigan	*New York	Tennessee	Washington
*Illinois				Wyoming

*The state plans in these states apply only to public sector employers. In these states private sector employers are subject to USOL – OSHA jurisdiction. All other state plans apply to both public and private sector employers.

Urea (57-13-6)
US – Minnesota – Hazardous Substance List
US – Texas – Effects Screening Levels – Long term/Short term

Other Information

NFPA health hazard : 2 – Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.

NFPA fire hazard : 0 – Materials that will not burn.

NFPA reactivity : 0 – Normally stable, even under fire exposure conditions, and are not reactive with water.

Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

V. Ingredient: Duration-45

Product Name : **Duration CR ® urea**

Product Code : KAS_DURATION_US_EN

Physical State : Solid

Form : Granular solid

Color : Light brown to tan

Odor : Slightly ammoniacal

Chemical Family : Modified Urea Polymer

Reactivity : The product is non-reactive under normal conditions of use, storage, and transport

Chemical Stability : Stable under normal temperature conditions

Possibility of Hazardous Reactions : Hazardous reactions do not occur

Reactions

Conditions to Avoid : Heat. Extreme temperatures.

Incompatible Materials : Strong oxidizing agents. Acids. Alkalis.

Hazardous Decomposition : Ammonia. Carbon Oxides. Nitrogen oxides (Nox)

Products

Reactivity : Reacts violently with strong oxidants, nitrates, inorganic chlorides, chlorites, and perchlorates causing fire and explosion hazard.

Chemical Stability : Normally stable. May gradually give off ammonia. The product is hygroscopic and will absorb water by contact with the moisture in the air.

Possibility of hazard reactions: Hazardous polymerization does not occur.

Conditions to avoid : Moisture; High temperatures; Contact with incompatible materials.

Incompatible materials : Strong oxidizing agents; Nitric acid; Nitrites

Hazard decomposition products: Carbon oxides; Nitrogen oxides (Nox); Ammonia; Biuret

Toxicological Information:

Inhalation : high concentrations of dust may irritate throat and respiratory system and cause coughing

Skin contact : dust may irritate skin

Eye contact : dust may irritate eyes

Ingestion : may cause discomfort if swallowed

Symptoms : irritation, redness, scratching of the cornea, and tearing

Acute toxicity : may cause discomfort if swallowed

Components	Species	Test Results
------------	---------	--------------

Urea (CAS # 57-13-6) Acute; oral; LD50	Rat	14300mg/kg
---	-----	------------

Skin corrosion/irritation : may cause irritation through mechanical abrasion
 Serious eye damage : may cause irritation through mechanical abrasion
 Respiratory/skin sensitization:
 Respiratory sensitization : based on available data, the classification criteria are not met.
 Skin sensitization : not a skin sensitizer
 Germ cell mutagenicity : Based on available data, the classification criteria are not met.
 Carcinogenicity : This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Reproductive toxicity : Based on available data, the classification criteria is not met.
 Specific target organ toxicity : Based on available data, the classification criteria is not met.
 Aspiration hazard : Not an aspiration hazard
 Chronic effects : Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases.
 Further info : No other specific acute or chronic health impact noted.

Ecological Information:

Components	Species	Test Results
Urea (CAS # 57-13-6) Aquatic Fish; LC50	Leuciscus idus	>6810 mg/l, 96 hours

Persistence and degradability: No data available

Bioaccumulative : No data available

Partition coefficient n-octanol/water (log Kow)

Urea (CAS # 57-13-6)

Mobility in soil : This product is water soluble and may disperse in soil.

VI. Ingredient: Ammonium Sulfate

Product Name : **Ammonium Sulfate**
 MSDS Number : 000000011568
 Product Code : SULF-N
 CAS-No. : 7783-20-2

Concentration	:	>98.50 %
Storage Temperature	:	<280 °C (<536 °F)
Physical State	:	granules
Color	:	colourless to brown
Odor	:	odourless
pH	:	5.5
Density	:	1.77 g/cm ³
Water Solubility	:	410-750 g/l at 20-25 °C
Molecular Weight	:	132.14 g/mol
Hazardous Decomposition	:	Sulphur oxides
Products		Ammonia Carbon Dioxide Carbon Monoxide
Toxicological Information		
Acute Oral Toxicity	:	LD50: 3,000 mg/kg Species: Rat
Acute Dermal Toxicity	:	LD50: > 2,000 mg/kg Species: Rat
Skin Irritation	:	Species: Rabbit Result: Slight Irritation
Eye Irritation:	:	Species: Rabbit Result: Slight Irritation
Genotoxicity in vitro	:	Note: In vitro tests did not show mutagenic effects
Ecological Information		
Toxicity to Fish	:	LC50: > 460mg/l Exposure time: 96 h Species: Leuciscus idus (Golden orfe)
Toxicity to daphnia and other aquatic invertebrates	:	LC50: 423 mg/l Exposure time: 25h Species: Daphnia magna (Water flea)
	:	LC50: 433 mg/l Exposure Time: 50h Species: Daphnia magna (Water flea)

: LC50: 292 mg/l
Exposure Time: 100 h
Species: Daphnia magna (Water flea)

VII. Ingredient: Duration-90

Product Name : **Duration CR ® urea**

Product Code : KAS_DURATION_US_EN

Physical State : Solid

Form : Granular solid

Color : Light brown to tan

Odor : Slightly ammoniacal

Chemical Family : Modified Urea Polymer

Reactivity : The product is non-reactive under normal conditions of use, storage, and transport

Chemical Stability : Stable under normal temperature conditions

Possibility of Hazardous Reactions : Hazardous reactions do not occur

Conditions to Avoid : Heat. Extreme temperatures.

Incompatible Materials : Strong oxidizing agents. Acids. Alkalis.

Hazardous Decomposition Products : Ammonia. Carbon Oxides. Nitrogen oxides (Nox)

Reactivity : Reacts violently with strong oxidants, nitrates, inorganic chlorides, chlorites, and perchlorates causing fire and explosion hazard.

Chemical Stability : Normally stable. May gradually give off ammonia. The product is hygroscopic and will absorb water by contact with the moisture in the air.

Possibility of hazard reactions: Hazardous polymerization does not occur.

Conditions to avoid : Moisture; High temperatures; Contact with incompatible materials.

Incompatible materials : Strong oxidizing agents; Nitric acid; Nitrites

Hazard decomposition products: Carbon oxides; Nitrogen oxides (Nox); Ammonia; Biuret

Toxicological Information:

Inhalation : high concentrations of dust may irritate throat and respiratory system and cause coughing

Skin contact : dust may irritate skin
 Eye contact : dust may irritate eyes
 Ingestion : may cause discomfort if swallowed
 Symptoms : irritation, redness, scratching of the cornea, and tearing
 Acute toxicity : may cause discomfort if swallowed

Components	Species	Test Results
Urea (CAS # 57-13-6) Acute; oral; LD50	Rat	14300mg/kg

Skin corrosion/irritation : may cause irritation through mechanical abrasion
 Serious eye damage : may cause irritation through mechanical abrasion
 Respiratory/skin sensitization:
 Respiratory sensitization : based on available data, the classification criteria are not met.
 Skin sensitization : not a skin sensitizer
 Germ cell mutagenicity : Based on available data, the classification criteria are not met.
 Carcinogenicity : This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Reproductive toxicity : Based on available data, the classification criteria is not met.
 Specific target organ toxicity : Based on available data, the classification criteria is not met.
 Aspiration hazard : Not an aspiration hazard
 Chronic effects : Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases.
 Further info : No other specific acute or chronic health impact noted.

Ecological Information:

Components	Species	Test Results
Urea (CAS # 57-13-6) Aquatic Fish; LC50	Leuciscus idus	>6810 mg/l, 96 hours

Persistence and degradability: No data available

Bioaccumulative : No data available

Partition coefficient n-octanol/water (log Kow)

Urea (CAS # 57-13-6)

Mobility in soil : This product is water soluble and may disperse in soil.

VIII. Ingredient: Chicken Manure

Product Name : **microSTART60 (pellet, granular or by product)**

Cas Number : Not available

Synonyms : Not available

Recommeneded Use : Fertilizer

Appearance : Brown granular, pellets, or fines

Odor : Slight poultry manure odor

Odor Threshold : Not known

pH : Not known

Melting/Freezing Point : Not known

Initial Boiling Point : Not applicable

Flash Point : Not applicable

Evaporation Rate : Not applicable

Flammability : Non-combustible

Explosion Limits : Not known

Vapor Pressure/Density : Not known

Relative Density : >1

Solubility : Moderate, will dissolve in water over a period of time

Partition Coefficient : Not known

Auto-ignition Temp : Not known

Decomposition Temp : Not known

Viscosity : Not applicable

Reactivity : Not known

Chemical Stability : Stable

Hazardous Reactions : Will not occur

Conditions to avoid : Keep dry until applied

Incompatible Materials : Not known

Hazardous Decomposition

Products : Not known

Hazardous Polymerization : Will not occur

Component	CAS #	%
------------------	--------------	----------

Pasteurized Poultry Litter	NA	95-98
Poultry Fat	68188-81-8	2-5

Exposure Limits: No data available. Treat as Particulates Not Otherwise Regulated (PNOR) in accordance with OSHA/ACGIH.

Component	CAS #	OSHA/PEL	ACGIH/TLV
Particulates Not Otherwise Regulated (respirable fraction)	NA	5 mg/m ³	3 mg/m ³
Particulates Not Otherwise Regulated (total dust)	NA	15 mg/m ³	10 mg/m ³

Extinguishing Media: Water spray

Hazardous Combustion Products: If heated to decomposition, slight smell of ammonia might be present.

Protective Equipment: Firefighters should be equipped with self-contained breathing apparatus and turn out gear.

Fire Fighting Procedures: Do not breathe fumes.

Emergency Procedures: Adequate procedures should be taken to prevent surfact runoff from carrying any material into any surface water.

Methods for Cleaning Up/Containment: Contain and collect any solid material and place in a suitable container for reuse or disposal. Flush area with water to dilute remaining material, which is bio-degradable.

Precautions: This product should be handled under conditions of good industrial hygiene and in conformity with any local regulations in order to avoid unnecessary exposure. Use only in a well-ventilated area. Avoid contact with skin or eyes. Do not apply in or near any water supply source or any body of water, including wells, streams, rivers, and lakes. Do not apply to any land that is flooded, frozen, or snow-covered.

Storage: Keep product dry until applied.

Disposal Information: Do not discharge into waterways or sewer systems without proper authority.

Dispose of in accordance with all government regulations.

Engineering Controls: Use exhaust ventilation to control airborne exposure.

Toxicological Information

Relevant Rout of Exposure/Target Organs: Eyes, skin, ingestion, inhalation

Symptoms: Not known

Delayed and Immediate Effects: Not known

Chronic Effects (Short or Long Term Exposure): Not known

Numerical Measures of Toxicity: No data available

Carcinogenicity: Not listed as a carcinogen

Mutagenicity: No data available

Reproductive Toxicity: No data available

Ecological Information

No data available.

Regulatory Information

SARA Title III Section 302: Not reportable

SARA Title III Section 304: Not reportable

SARA Section 311/312 Hazard Categories: Not applicable

SARA Title III Section 313: This product does not contain components that are subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right to Know Act of 1986 (EPCRA of SARA Title III) and 40 CFR 372.

CERCLA RQ: Not reportable

IX. Ingredient: Iron

Product Name : **Iron Oxysulfate**
Recommended Use : Fertilizer
Classification : This chemical is considered hazardous by the 2012 OSHA Hazardous Communication Standard (29 CFR 1910.1200)

Acute Toxicity - Oral	Category 4
Carcinogenicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 2

Appearance : Gray
Physical state : Solid/Powder Solid
Odor : Acidic
Precautionary Statements : If exposed or concerned, seek medical advise/attention.

If ingested : Call a poison center or doctor if you feel unwell. Rinse mouth.

Storage : Stored locked up

Disposal : Dispose of contents/container to an approved waste disposal plant.

Unknown toxicity : 88% of the mixture consists of ingredients of unknown toxicity.

Other information : Causes mild skin irritation

Reactivity : No data available.

Chemical stability : Stable under recommended storage conditions.

Possibility of Hazardous Reactions : None under normal processing.

Hazardous Polymerization : Hazardous polymerization does not occur.

Conditions to avoid : None known based on information supplied.

Incompatible materials : Strong oxidizing agents. Strong acids. Strong bases.

Hazardous decomposition : Carbon oxides.

Chemical Name	CAS No.	Weight - %	Trade Secret
Supplier Trade Secret	Proprietary	10-30	*
Sulfuric acid, iron (2+) salt (1:1), Monohydrate	17375-41-6	1-5	*
Quartz	14808-60-7	1-5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Supplier Trade Secret	TWA: 1mg/m ³ respirable fraction		
Sulfuric acid, iron (2+) salt (1:1), monohydrate 17375-41-6	TWA: 1 mg/m ³ Fe	(vacated) TWA: 1 mg/m ³ Fe	TWA: 1mg/m ³ Fe
Quartz 14808-60-7	TWA: 0.025 1 mg/m ³ respirable fraction	TWA: 0.1 mg/m ³ (vacated)	IDLH" 50 mg/m ³ respirable dust TWA: 0/05 mg/m ³ respirable dust.

ACGIH TVL: American Conference of Governmental Industrial Hygienists – Threshold Limit Value

OSHA PEL: Occupational Safety and Health Administration – Permissible Exposure Limits

Immediately Dangerous to Life or Health.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Supplier Trade Secret	>5000 mg/kg (Rat)		
Sulfuric acid, iron (2+) salt (1:1), monohydrate 17375-41-6	=237 mg/kg (Rat)		
Quartz 14808-60-7	=500 mg/kg (Rat)		

*The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	A2	Group 1	Known	X

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 – Suspected Human Carcinogenicity

IARC (International Agency for Research on Cancer)

Group 1 – Carcinogenic to Humans

NTP (National Toxicology Program)

Known – Known Carcinogenic

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity

No information available.

STOT-single exposure

No information available.

STOT-repeated exposure

Causes damage to organs through prolonged

or repeated exposure. Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from chronic or repeated exposure. (STOT RE)

Chronic toxicity

No effect based on information supplied.

Contains known or suspected carcinogen. Avoid repeated exposure. Prolonged exposure may cause chronic effects. May cause adverse liver effects Bentonite contains naturally occurring crystalline silica. Crystalline Agency for Research on Cancer (IARC) as known human carcinogen (Group 1).

Target organ effects

Respiratory system, eyes, skin,

gastrointestinal tract (GI), liver, lungs, kidneys.

Aspirational hazard

No information available.

Numerical measure of toxicity product information.

The following values are calculated based on Chapter 3.1 of the GHS document.

ATEmix (oral)

1,200.00 mg/kg

Ecological Information

Ecotoxicity: The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water
Supplier Trade Secret		96h LC50: = 19000 mg/l (Oncorhynchus mykiss) 96h LC50: 8.0 – 19.0 g/l (Salmo gairdneri)		

DOT Not regulated

Proper Shipping Name Not regulated

Hazard Class Not applicable

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated

Proper Shipping Name Not regulated

Hazard Class Not applicable

IMDG/IMO Not regulated

Hazard Class Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

Regulatory Information

International Inventories

TSCA - Complies

DSL – All components are listed either on the DSL or NDSL

TSCA – United States Toxic Substances Control Act Section 8b Inventory.

DSL/NDSL – Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313 – Section 313 of Title 111 of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals that are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories:

Acute health hazard	yes
Chronic health hazard	yes
Fire hazard	no
Sudden release of pressure hazard	no
Reactive hazard	no

CWA (Clean Water Act) – This product contains the following substance which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA – Reportable Quantities	CWA – Toxic Pollutants	CWA – Priority Pollutants	CWA – Hazardous Substances
Sulfuric acid, iron (2=) salt (1:1), monohydrate 17375-41-6	1000 lb			x

CERCLA – This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sulfuric acid, iron (2+) salt (1:1), monohydrate 17375-41-6	1000lb		RQ 1000lb final RQ

US State Regulations

California Proposition 65

Chemical Name	California Proposition 65
Quartz – 14808-60-7	Carcinogen

U.S. State Right-to-know Regulations

This product does not contain any Proposition 65 chemicals.

US State Right-To-Know Regulations

Chemical	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois

Name					
Sulfuric acid, iron (2+) salt (1:1) monohydrate 17375-41-6	X	X	X	X	X
Quartz 14808-60-7	X	X	X	X	X

X. Other Hazard Information

Environmental Protection:

Appropriate engineering controls: Use ventilation and dust collection to control exposure to below applicable limits.

Recommendations for personal protective measures: Respirable dust and quartz levels should be monitored regularly to determine worker exposure levels. Exposure levels in excess of allowable exposure limits should be reduced by all feasible engineering controls including (but not limited to) wet suppression, ventilation, process enclosure, and enclosed employee workstations.

Any special requirements for PPE:

Eye protection: Safety glasses with side shields should be worn as minimum protection. Dust goggles should be worn when excessively (visibly) dusty conditions are present or anticipated.

Skin protection: Use gloves to provide hand protection from abrasion. In dusty conditions wear long sleeve shirt. Wash work clothes after each use.

Respiratory Protection: All respirators must be NIOSH-approved for the exposure levels present. (See NIOSH Respirator Selection Guide). The need for respiratory protection should be evaluated by a qualified safety and health professional. Activities that generate dust require the use of an appropriate dust respirator where dust levels exceed or are likely to exceed allowable exposure limits. For respirable silica levels that exceed or are likely to exceed an 8 hr Time Weighted Average (TWA) of 0.5 mg/m³, a high efficiency particulate filter respirator must be worn at a minimum; however, if respirable silica levels exceed or are likely to exceed an 8 hr TWA of 5.0 mg/m³ a positive pressure, full face respirator or equivalent is required. Respirator use must comply with applicable MSHA (42 CFR 84) or OSHA (29 CFR 1910.134) standards, which include provisions for a user training program, respirator inspection, repair and cleaning, respirator fit testing, medical surveillance and other requirements.

Disposal Information:

Disposal instructions: Do not allow this material to drain into sewers/water supplies. Dispose in accordance with all applicable regulations.

Hazardous waste code: Not regulated

Waste from residues: Disposal recommendations are based on the material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of

disposal.

Contaminated packaging: Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Transport Information:

DOT – not regulated as dangerous goods.

IATA – not regulated as dangerous goods.

IMDG – not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code – not applicable. However, the product is covered under Appendix I of the IMSBC Code.

Regulatory Information:

US federal regulations: This product is not known to be a “Hazardous Chemical” as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are listed on or exempt from the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) – not regulated

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) – not listed

CERCLA Hazardous Substance List (40 CFR 302.4) – not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate hazard – no

Delayed hazard – no

Fire hazard – no

Pressure hazard – no

Reactivity hazard – no

SARA 302 Extremely hazardous substance – not listed

SARA 311/312 Hazardous chemical – no

SARA 313 (TRI reporting) – not regulated

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List – not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) – not regulated

Safe Drinking Water Act – not regulated

Food and Drug – total food additive

Administration (FDA) – direct food additive; GRAS food additive

Other Information:

Further information: HMIS is registered trade and service mark of the NPCA. A HMIS Health rating including an * indicates a chronic hazard.

HMIS ratings: Health: 1

Flammability: 0

Physical Hazard: 0

Abbreviations: LC50: Lethal Concentration, 50%; LD50: Lethal Dose, 50%

XI. Conditions of Sale and Warranty

The directions of use for this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of Groenink's Elevator and Hardware, Inc. or the Seller. All such risks shall be assumed by the Buyer. Groenink's Elevator and Hardware, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in its Direction for Use subject to the inherent risks referred to above. **Groenink's Elevator and Hardware, Inc USA makes no other express or implied Warranty of Fitness or Merchantability or any other express or implied warranty. In no case shall Groenink's Elevator and Hardware, Inc. or the Seller be liable for consequential, special, or indirect damages resulting from the use or handling of this Product.** Groenink's Elevator and Hardware, Inc. and the Seller offer this product, and the Buyer and user except it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing